

Lift here 



BLACKMAX[®] 22

0-0-4

GUARANTEED MINIMUM ANALYSIS:

Soluble Potash (K ₂ O).....	4.00%
Humic Substances.....	22.00%



WARNING

Causes serious eye irritation. Causes skin irritation. May be corrosive to metals.

Harmful if swallowed. Avoid breathing dust / fume / gas / mist / vapors / spray. Avoid release to the environment. Wear protective gloves and eye / face protection. If eye irritation persists: get medical attention. IF IN EYES: Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes. IF ON SKIN: Wash with plenty of water for 15 to 20 minutes. If medical advice is needed, have product container or label available. Keep out of reach of children.

Read label before use. **Keep only in original packaging.**

Density: 1.19 kg/L
Net Contents: 10 liters
Net Weight: 11.90 kg
Lot Number: see the container

CANADA BlackMax22 0-0-4 [12225]ENG

Manufactured for and Distributed by:
Loveland Products Canada Inc.

789 Donnybrook Drive | Dorchester, Ontario N0L 1G5 | Product inquiries: 1-800-328-4678 | 24hr emergency contact: 1-800-561-8273

MIXING INSTRUCTIONS

1. Partially fill tank with water and start agitation.
2. Add BLACKMAX® 22 slowly to the circulating mix and mix thoroughly.
3. While agitating, inject the fertilizer product into the BLACKMAX 22 and water mixture.

GENERAL INFORMATION

BLACKMAX 22 0-0-4 contains potash derived from potassium hydroxide and Humic Substances derived from Leonardite.

CAUTION: Do not apply with calcium based fertilizers such as CAN 17. Fertilizer solutions with a pH of 5 or less may not be compatible. Combining with liquid fertilizer solutions is more effective if done at a blending plant.

CAUTION: Foliar application of BLACKMAX 22 close to harvest may leave a brown residue on the harvestable portion of the crop. Rainfall, sprinkler irrigation or high humidity should alleviate this condition.

DIRECTIONS FOR USE

BLACKMAX 22 can be applied to most vegetable and cucurbit crops, field and row crops, deciduous fruit and nut trees, grapes, and berries. May be applied through center pivot irrigation systems. When mixing with AN-20, UAN or 10-34-0 dilution of BLACKMAX 22 with an equal volume of water is recommended.

Mixing with irrigation water for field storage is generally not recommended. Products blended with irrigation water should be used immediately and not stored for prolonged periods. The following sections provide the recommended application rates. For repeat applications, the user should consult with their local professional agricultural consultant.

SOIL APPLICATION RATES

BLACKMAX 22 may be applied pre-plant, as a starter, side dress, fertigated, top dressed or banded to the soil. May be diluted with water to ensure uniform distribution. May be used as a pop-up or in furrow at 6 L to 37.5 L per hectare (2 L to 15.5 L per acre)

VEGETABLES & FRUIT CROPS, FIELD AND ROW CROPS: Use 5 L to 94 L per hectare (2 L to 38 L per acre). Repeat applications may be beneficial.

ORCHARDS & VINEYARDS: Use 5 L to 94 L per hectare (2 L to 38 L per acre) per acre injected 7 to 13 cm deep at the drip line or surface band and water into the soil. Repeat applications may be beneficial.

FERTIGATION APPLICATION RATES

FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLE & FRUIT CROPS: Use 5 L to 94 L per hectare (2 L to 38 L per acre) per irrigation. Continue irrigation for a minimum of 2 hours after application to flush lines and to maximize nutrient distribution with drip and micro sprinkler. Repeat applications may be beneficial.

APPLICATION THROUGH DRIP IRRIGATION - inject after irrigation filter.

TRANSPLANT WATER - FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLE & FRUIT CROPS: Use 9.5 L to 96 L per hectare (3.8 L to 38 L per acre), not to exceed a 3% solution of BLACKMAX 22 to water.

FOLIAR APPLICATION RATES

FIELD & ROW CROPS, ORCHARDS & VINEYARDS, VEGETABLE & FRUIT CROPS: Apply 3 L to 30 L per hectare (1 L to 11.5 L per acre) per acre with the appropriate dilution for adequate coverage. A maximum concentration of 1:10 BLACKMAX 22 to water should be used for foliar applications. Repeat applications may be beneficial.

WARRANTY DISCLAIMER AND NOTICE

THE DIRECTIONS FOR USE OF THIS PRODUCT ARE BELIEVED TO BE ADEQUATE AND SHOULD BE FOLLOWED CAREFULLY. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT DUE TO SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OR ABSENCE OF OTHER MATERIALS, OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER. THIS PRODUCT IS FURNISHED "AS IS" BY LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER, AND ARE SUBJECT ONLY TO THE MANUFACTURER'S WARRANTIES, IF ANY, WHICH APPEAR ON THIS LABEL. EXCEPT AS EXPRESSLY PROVIDED HEREIN, LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTIES, GUARANTEES, CONDITIONS OR REPRESENTATIONS OF ANY KIND TO BUYER OR USER, EITHER EXPRESS OR IMPLIED, OR BY USAGE OF

TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THIS PRODUCT OR USE OF THIS PRODUCT, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THIS PRODUCT FOR ANY PARTICULAR TRADE USAGE. EXCEPT AS EXPRESSLY STATED HEREIN, LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER MAKES NO WARRANTY OF RESULTS TO BE OBTAINED BY USE OF THIS PRODUCT. BUYER'S OR USER'S EXCLUSIVE REMEDY, AND LOVELAND PRODUCTS CANADA INC.'S, THE MANUFACTURER'S OR SELLER'S TOTAL LIABILITY, SHALL BE LIMITED TO DAMAGES NOT EXCEEDING THE COST OF THIS PRODUCT. NO AGENT OR EMPLOYEE OF LOVELAND PRODUCTS CANADA INC. OR SELLER IS AUTHORIZED TO AMEND THE TERMS OF THIS WARRANTY DISCLAIMER OR THIS LABEL OR TO MAKE A REPRESENTATION OR RECOMMENDATION DIFFERENT FROM OR INCONSISTENT WITH THIS LABEL OR THIS PRODUCT. IN NO EVENT SHALL LOVELAND PRODUCTS CANADA INC., THE MANUFACTURER OR SELLER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES (INCLUDING WITHOUT LIMITATION LOSS OF PROFITS OR REVENUES) RESULTING FROM THE USE, HANDLING, APPLICATION, STORAGE OR DISPOSAL OF THIS PRODUCT OR FOR DAMAGES IN THE NATURE OF PENALTIES AND THE BUYER AND USER WAIVE ANY RIGHT THEY MAY HAVE TO SUCH DAMAGES.

Tests have not been carried out under all possible use conditions and Seller cannot and does not represent or warrant that the goods are compatible with all other chemicals or under all use conditions.

BLACKMAX is a registered trademark of Loveland Products, Inc.

BLACKMAX® 22 0-0-4

GUARANTEED MINIMUM ANALYSIS:

Soluble Potash (K ₂ O).....	4.00%
Humic Substances.....	22.00%



WARNING

Causes serious eye irritation. Causes skin irritation. May be corrosive to metals.

Harmful if swallowed. Avoid breathing dust / fume / gas / mist / vapors / spray. Avoid release to the environment. Wear protective gloves and eye / face protection. If eye irritation persists: get medical attention. IF IN EYES: Rinse with water for 15 to 20 minutes. Remove contact lenses, if present, and continue rinsing eyes. IF ON SKIN:

Wash with plenty of water for 15 to 20 minutes. If medical advice is needed, have product container or label available. Keep out of reach of children.

Read label before use. **Keep only in original packaging.**

Density: 1.19 kg/L

Net Contents: 10 liters

Net Weight: 11.90 kg

Manufactured for and Distributed by:

Loveland Products Canada Inc.

789 Donnybrook Drive | Dorchester, Ontario N0L 1G5 | Product inquiries: 1-800-328-4678 | 24hr emergency contact: 1-800-561-8273